

Thin
Client


F620



PROFILE

Centerm thin client works with Kaspersky Secure Remote Workspace, dedicated to a solution for building a managed and functional infrastructure based on Cyber Immune operating system for secure VDI connection and terminal access

UTILIZATION



FEATURES

Management from a single point

Remote centralized management of all Kaspersky Thin Client settings gives control and visibility over the entire infrastructure

Flexible reports and notifications

Customizable reports with filtering and sorting by any field. Incident notifications through the administrator's preferred channels: SMS, email, push notifications, etc.

Easy migration

No need to become proficient in a new product — migration to thin clients is straightforward when using KSC

Kaspersky Thin Client controlled by information security experts

Thin clients remain firmly in the focus of information security specialist.

CONNECTIVITY

Front



1. Power Button
2. Mic-in
3. Line-out
4. USB 3.0 Port

Rear



1. DC 12V input
2. USB 3.0 Port
3. RJ-45
4. HDMI Port
5. DP Port
6. USB 2.0 Ports

SPECIFICATION

| | |
|----------------------------|---|
| Processor | Intel quad core 2.0Ghz |
| Available Operating System | Kaspersky OS |
| Management | Kaspersky Management Console |
| RAM (DDR4) | 4 GB |
| Storage (SSD) | 128 GB |
| Display | DP x 1 ; HDMI x 1 |
| Resolution | DP:3840x2160@60Hz; HDMI:3840x2160@60Hz |
| Color Depth | 32 bits |
| LAN | x 1 (10/100/1000Mbps, RJ-45) |
| USB 2.0 | X 4 |
| USB 3.0 | x 2 |
| Audio | Line-out x 1 , Mic-in x 1, (1/8-inch mini jack) |
| Mountings | VESA mounting bracket |
| Dimension | 131mm x 31.5mm x 167mm (stand excluded)/ 488mm x256mm x108mm (package) |
| Weight | 0.55kg |
| Kensington Lock | Yes |
| Adapter | Worldwide auto-sensing 110-230V AC, 12V/3A DC |
| Power Consumption | Max 30w |
| Mountings | Vertical feet, standard |
| Cooling | Fan-less Convection |
| Operation Temperature | 0°C to 40°C |
| Relative Humidity | 30% to 90% non-condensing |

SOLUTION COMPONENTS

Kaspersky Thin Client



Operating system and thin client application software installed on the hardware platform

Perpetual license for main version

Kaspersky Security Center



Single console for centralized thin client management

Free installation (if there is no console in the infrastructure)

Kaspersky Security Management Suite



Special add-on module for fleet administration

License to connect to KSC. Subscription model by number of devices for 1, 2 or 3 years

